




PEAK DOWN
PENDANT, 2023

White Powder Coated Aluminium
3m or 10m white flex length



OVERALL DIMENSIONS



MATERIAL/FINISH



White Powder Coated Aluminium

LIGHT SOURCE SPECIFICATIONS

Integrated LED 20W / 1200lm / 2700K / 90CRI

PRODUCT SPECIFICATIONS

Input voltage: 120V / 240V
Maximum wattage: 23W
120V / 240V dimmable LED triac, Dali2
Product weight: 2kg
IP 20 Indoor use only
(suitable for bathroom Zone 3)

Supplied with 3m or 10m long flex.


CLEANING INSTRUCTIONS


Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

Powder Coated: Use a lightly damp soft dust cloth and gently go over marks until clean. For occasional deep cleaning, use a neutral pH metal-safe cleaner, safe for "clear-coated metal." Never use metal polishes or creams containing abrasives or ammonia. Dry it afterwards with a soft dust cloth.

BACKPLATE DIMENSIONS

Mounting screws not included






TWIN PEAK DOWN
PENDANT, 2023

White Powder Coated Aluminium
3m or 10m white flex length



OVERALL DIMENSIONS



MATERIAL/FINISH



White Powder Coated Aluminium

LIGHT SOURCE SPECIFICATIONS

Integrated LED 40W / 1855lm / 2700K / 90CRI

PRODUCT SPECIFICATIONS

Input voltage: 120V / 240V
Maximum wattage: 44W
120V / 240V dimmable LED triac, Dali2
Product weight: 4kg
IP 20 Indoor use only
(suitable for bathroom Zone 3)

Supplied with 3m or 10m long flex.


CLEANING INSTRUCTIONS


Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

Powder Coated: Use a lightly damp soft dust cloth and gently go over marks until clean. For occasional deep cleaning, use a neutral pH metal-safe cleaner, safe for "clear-coated metal." Never use metal polishes or creams containing abrasives or ammonia. Dry it afterwards with a soft dust cloth.

BACKPLATE DIMENSIONS

Mounting screws not included






TRIPLE PEAK DOWN
PENDANT, 2023

White Powder Coated Aluminium
3m or 10m white flex length




OVERALL DIMENSIONS



BACKPLATE DIMENSIONS

Mounting screws not included



MATERIAL/FINISH



White Powder Coated Aluminium

LIGHT SOURCE SPECIFICATIONS

Integrated LED 60W / 2510lm / 2700K / 90CRI

PRODUCT SPECIFICATIONS

Input voltage: 120V / 240V
Maximum wattage: 66W
120V / 240V dimmable LED triac, Dali2
Product weight: 6kg
IP 20 Indoor use only
(suitable for bathroom Zone 3)

Supplied with 3m or 10m long flex.

CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

Powder Coated: Use a lightly damp soft dust cloth and gently go over marks until clean. For occasional deep cleaning, use a neutral pH metal-safe cleaner, safe for "clear-coated metal." Never use metal polishes or creams containing abrasives or ammonia. Dry it afterwards with a soft dust cloth.